





Specifications

ENGINE	
Manufacturer	Kohler
Engine Model	KDI2504TCR
EPA Certification	Tier 4 Final
Rated	1800 RPM
Nominal Power (PRIME)	50KVA / 40KW
Nominal Power (STANDBY)	55KVA / 44KW
Engine Type	Diesel 4 Stroke
Injection Type	Direct Injection
Cylinders / FIE	4 / Turbo Common Rail
Bore	88mm
Stroke	102mm
Displacement	2.5L
Cooling System	Liquid Cooled
Valves Per Cylinder	4
РТО	#2 PTO- 17mm Fan Belt
COOLING SYSTEM	
Radiator Coolant Capacity	6.5L
Fan Type	450mm Pusher
EXHAUST SYSTEM	
Emissions Management	EGR + DOC
LUBRICATION SYSTEM	
Oil Filter Type	Cartridge
Oil Capacity	11.2L
Oil Consumption @ Full Load	<0.1%
Recommended Oil	5W-40 CJ-4
Oil/Filter Service Intrevals	500HR—STD / 750HR—SYN







Specifications

ELECTRICAL SYSTEM	
Volts (DC)	12V
Alternator Rating	80 Amp
Starter Rating	2.2KW
Min. Cold Cranking Amps	110 Amp
FUEL SYSTEM	
Recommended Fuel	#2 Diesel
Fuel Pump Type	Engine Driven
Injection Type	High Pressure Common Rail
Filter Type	Fuel/Water Separator
Fuel Tank Capacity	230L
Fuel Consumption –100% Load	10.1L/HR
Run Time—100% Load	23HRs
ALTERNATOR	
Manufacturer	Stamford
Model	S1L2-R41
Alternator Type	4 Pole, Rotating Field
Exciter Type	Brushless, Self Exciting
Leads	12, Reconnectable
Insulation System	Class H
DIMENSIONS	
Length	66"
Width	38"
Height	44"
Weight	1600LBS







Specifications

ADDITIONAL FEATURES	
Control Panel	Dynagen TE410 Auto Start Controller
Block Heater	375W Lower Radiator Hose Heater
Battery Disconnect	Locking Battery Disconnect
Oil Drain	EZ Oil Drain Valve
Battery	Interstate MTP-24 with Battery Box
Serviceability	All Filters & Dipstick in Central Location

Shop tested under load before delivery, filled with high quality Mobil Lubricants

Warranty: 1 year/2000hrs

Engine Warranty: 3 year/2000hrs (6000hrs – Major Components)



Authorized Distributor



















Specifications

