

Sub-Compact Tractors
CT1021 | CT1025







THE BOBCAT BRAND WAS LITERALLY BORN IN A BARN.

Designed for a turkey farmer, the original compact loader was destined to clean small livestock pens and stalls. Ever since, Bobcat® equipment has been a mainstay on ranches, dairies and all kinds of fruit, grain and vegetable operations.

Your rural lifestyle is a perfect match for the Bobcat workstyle. The Bobcat lineup of powerful sub-compact tractors has everything you need to make the most of your land. They're just as tough as our other machines for professional operators, but they're designed for the work you do most on your property.

It takes a lot of work to live the simple life, so get the only tractor tough enough to take on the challenge.



PERFORMANCE

The more you do with your tractor, the more ideas you have for your property. Bobcat sub-compact tractors prepare you for every possibility.



MORE.

THESE AGILE MACHINES ARE STRONG

enough for your biggest jobs, but small enough to work inside and around sheds, barns, animal enclosures and anywhere else the work takes you. With models up to 24.5 engine hp, hydrostatic transmission, plus generous lifting ability, ground clearance and a powerful Category 1-Limited 3-point hitch with power take-off (PTO), Bobcat brings outstanding performance and value to your property.

From its wheel base to its length, tire options and overall engineering, your Bobcat sub-compact tractor feels dimensionally well balanced, powerful and capable while being responsive and comfortable to operate. With top travel speeds as high as 11.1 mph, you'll spend less time moving from one point to another, and you'll make every second count when you have work to get done. And because a hardworking tractor needs hard-working traction, you can easily engage four-wheel drive whenever the work demands it.

Hydrostatic Transmission (2-Range HST)

The hydrostatic transmission uses hydraulic pressure to change speed, operating similar to a vehicle. You'll only need to stop moving if you want to change your range. This is a good transmission choice if you're doing frequent front-end loader work, mowing or clearing brush as you maneuver through wooded areas. Its ease of operation also makes it a good choice for novice drivers. Forward and reverse are controlled by foot pedals.

Tight Turning Radius

Maximum maneuverability is the key to effective mowing, tilling and more. Bobcat sub-compact tractors feature a tight turning radius – as little as 8.3 feet – so you can move in close to trees, buildings and other obstacles.

Drawbar Towing

Bobcat sub-compact tractors deliver competitive drawbar towing power and force for heavy towing performance that beats many other tractor brands.

Hitch

The hitch provides towing flexibility and convenience.



Tire Options

Three types of tires are available for Bobcat sub-compact tractors. They offer a combination of reliability and ride quality to match the requirements of your work.

Turf Tires


Turf tires are designed with less aggressive tread that minimizes disturbance on lush lawns and established landscaping.

Industrial Tires

Industrial tire tread is wider than agricultural tires, and the lugs are deeper than turf tires. They deliver great traction for all ground conditions and many different applications.

Agricultural Tires

These tough tires have deep lugs for optimal traction and self-cleaning in soft soil and mud. They also deliver more power to the ground when towing heavy loads or pulling implements.



PROTECT YOUR INVESTMENT.

From the solid and sturdy construction of our Category 1-Limited 3-point hitches to our unmatched dealer support, your Bobcat tractor can stand up to a challenge.

Your chores demand daily attention. Your tractor needs to be ready to work when you are. Bobcat sub-compact tractors are built to contend with the dust, dirt and grit of your toughest challenges, and they're designed with ease of maintenance in mind.

Tier 4 Diesel Engine

The powerful Tier 4 engine offers robust, reliable performance for challenging work and reliable startups – plus low noise and vibration for optimal comfort.

Polymer Fuel Tank

A heavy-duty polymer fuel tank maintains fuel integrity and eliminates rust-related contamination.



THE BOBCAT DEALER NETWORK ADVANTAGE

Bobcat built its brand on quality equipment serviced by reliable local

dealers, with warranty repairs and parts availability that are second to

none. With the help of our knowledgeable dealers, Bobcat customers

have kept machines running for decades doing the toughest jobs

imaginable. If you're looking for long-term service and support,

take a look at Bobcat sub-compact tractors.

Minimize your maintenance.

You bring a tractor home to do work. It shouldn't be a job to keep it running. Maintenance points on your tractor are easy to find and reach — so upkeep is simple and takes less time. Flip up the hood — it opens nearly 90 degrees — to easily access the battery, filters and other checkpoints. Other components are simple to reach and service, allowing you to easily retain peak performance for years.

One-Piece Engine Hood with Air Cylinder Assist

There are no side panels to remove when you need to access your engine. It's as simple as lifting the hood. With the air cylinder assist, it takes little effort. When fully opened, the tractor's hood stands nearly perpendicular to the engine compartment. This provides best-in-class maintenance accessibility and makes virtually all of the major service points easy to reach.









Low Noise, Low Vibration

The engine in your Bobcat sub-compact tractor is designed to produce low noise levels with minimal vibration to keep you working comfortably and focused on the task.

Headlights

Bright headlights illuminate the job for high visibility for evening work and other low light conditions.

LED Tail Lamp

The LED tail lamp provides excellent visibility and long bulb life.

Panoramic Visibility

The open cab provides excellent sightlines to the work and great all-around visibility, with the additional simplicity and ease of use for operators who frequently get on or off the tractor throughout the day.

Comfortable Operator Station with Ergonomic Controls

The operator station on Bobcat sub-compact tractors is designed to enable hours of comfortable, confident work. All of your controls, gauges and buttons on Bobcat sub-compact tractors are thoughtfully laid out with your ease of use in mind. The illuminated dashboard allows you to operate and easily monitor performance in all light conditions.

Intuitive Control Levers

Great controls make it easier and more enjoyable to do more with your sub-compact tractor. You can match torque to the task with the HST range lever, moving effortlessly between high and low ranges. You can also adjust mid-mount mower cutting height via a simple lever control. Rear and mid-PTO levers enable you to engage or disengage the PTOs separately or together.



The ROPS is designed to protect the operator in the event of a rollover (when the ROPS is locked in the up position and the seat belt is fastened). The foldable ROPS can be temporarily lowered when driving under trees, into garages or in other low-clearance areas.



DO MORE

Throughout the day, you can go from mowing to grading to digging. Your property presents endless opportunities to get outside and get something done. From front to back, Bobcat tractors are well equipped to keep up with your to-do list.





The front-end loader is a must-have for digging, dirt moving, loading and carrying material. On your Bobcat tractor, the front-end loader is easy to attach and remove, plus it delivers leading lift capacity and height for exceptional productivity.

Front-end loaders are equipped with float functionality to follow ground contours as you work.



Take on digging, loading and material handling with a strong, easy-to-use front-end loader. Handle mowing with the help of the standard mid-mount PTO. Finally, use an array of implements with your Category 1-Limited 3-point hitch and rear PTO. Your dealer can help you acquire a range of Bobcat implements for the work you do on your land.



Rear PTO and Category 1-Limited 3-Point Hitch

The Category 1-Limited 3-point hitch is key to your tractor's versatility. It enables you to do a large number of tasks on your property with both drag-behind and PTO-powered implements.



IMPLEMENTS AND ATTACHMENTS

YOUR COMPACT TRACTOR packs a lot of versatility for the price, and hard-working Bobcat implements and attachments are made to handle the numerous possibilities you uncover on your land.



Front-End Loader

The front-end loader is a musthave for digging, dirt moving, loading and carrying material. The Bobcat front-end loader is easy to attach and remove, plus it delivers leading lift capacity and height for exceptional productivity.

Model	FL6
Max. Lift Height to Pivot Pin	72 in. (1829 mm)
Max. Lift Height under Level Bucket	66 in. (1676 mm)
Clearance with Bucket Dumped	53 in. (1346 mm)
Reach at Maximum Lift Height	20 in. (508 mm)
Maximum Dump Angle	46 in. (1168 mm)
Reach with Bucket on Ground	52 in. (1321 mm)
Maximum Rollback Angle	28 in. (711 mm)
Digging Depth	4.3 in. (110 mm)
Lift Capacity at Pivot Pin (max. height)	608 lb. (276 kg)
Breakout Force at 500 mm	1554 lb. (704 kg)
Weight	606 lb. (275 kg)
Bucket Width	48 in. (1219 mm)



Backhoe

Turn your Bobcat compact tractor into a powerful part-time excavator with this handy attachment. The backhoe is great for general purpose digging and trenching. Sub frame included.

Model	BH66
Digging Depth (2' flat bottom)	73 in. (1854 mm)
Reach from Center Line of Swing Pivot	100 in. (2540 mm)
Loading Height (bucket at 60°)	55 in. (1397 mm)
Maximum Leveling Angle	8°
Swing Arc	180°
Transport Height (maximum)	70 in. (1778 mm)
Bucket Rotation	152°
Stabilizer Spread (down position)	62 in. (1575 mm)
Stabilizer Spread (up position)	60 in. (1524 mm)
Bucket Digging Force	2240 lbf.
Operating Pressure	1885 psi (130 bar)
Shipping Weight (without bucket)	657 lb. (298 kg)



Mid-Mount Mower

Perfect for a variety of applications, the mid-mount mower cuts grass in areas where maneuverability is tight. It includes a standard side discharge and solid rubber wheels. Features a blade travel speed of 256 feet per second smoothly, without skips.

Model	M60
Cutting Width	60 in. (1524 mm)
Cutting Height	1-4 in. (25-102 mm)
Transport Height	6 in. (153 mm)
Gear Type	Spiral Bevel
Number of Blades	3
Blade Spindle Speed	2888 rpm
Blade Tip Velocity	78.2 m/s
Blade Length	20.4 in. (518 mm)
Deck Thickness	0.13 in. (3.3 mm)
Total Width	74.1 in. (1992 mm)
Total Length	42.6 in. (1082 mm)
Total Height	13.7 in. (348 mm)
Weight (60" deck w/ mounting)	374 lb. (170 kg)
Drive Type	U-Joint and V-Belt
Lifting Type	3-Point Hitch Links
Compatible with Loader	Yes
Drive Over Deck	Yes



Front Mount Snowblower

The front mount snowblower gives you powerful snow-clearing ability with the convenience of a quick attach mount. Powered by your tractor's mid-mount PTO* (mid-mount PTO required), this attachment cuts a wide path through deep, heavy snow. Direct snow exactly where you want it with the hydraulic chute rotation.

Model	FSB49	FSB62
Overall Width	51.4 in. (1305 mm)	64.4 in. (1635 mm)
Cutting Width	49.0 in. (1244 mm)	62.0 in. (1574 mm)
Cutting Height (blower on the ground)	21.0 in. (533 mm)	21.0 in. (533 mm)
Auger Diameter	12.0 in. (304 mm)	12.0 in. (304 mm)
Fan Diameter	14.0 in. (355 mm)	14.0 in. (355 mm)
Chute Rotation (hydraulic)	227°	227°
Deflector Adjustment (manual)	90°	90°
Weight	353 lb. (160 kg)	405 lb. (183 kg)
Drive	Mid-PT0	Mid-PT0
Driveline Protection	Shear Bolt	Shear Bolt
Recommended HP Range	20-25 hp (14.9-18.6 kW)	20-35 hp (14.9-26.0 kW)
Cutting Edge Design	Reversible/Replaceable	Reversible/Replaceable
Cutting Edge Dimensions	.25 in. x 4.5 in. Steel (6 mm x 114 mm Steel)	.25 in. x 4.5 in. Steel (6 mm x 114 mm Steel)
Skid Shoes	Adjustable/Replaceable 3/8 in. Steel (9 mm Steel)	Adjustable/Replaceable 3/8 in. Steel (9 mm Steel)
Blower Design	Two Stage	Two Stage

^{*}Front lift kit and PTO driveline kit are required for operation of the front mount snowblower attachment.

Bobcat provides you access to a world of Bobcat implements and front-end loader attachments – so you can get the most work from your tractor investment.

Whether it's installing a fence or taking care of animals, when you have the right tractor and the right implement or attachment, there is virtually no task that's beyond your ability.

There are more than 550 dealer locations in North America, so you're never far from an expert source of implements, attachments, accessories, parts and service.





Tine rake





3 pt. angle blade 3 pt. rotary cutter



3 pt. box blade



Rear ballast



3 pt. finish mower



Quick hitch





3 pt. snowblower

3 pt. tiller



DEALER INSTALLED KITS AND OPTIONS

You can customize and accessorize your Bobcat sub-compact tractor to improve productivity, enhance durability, maximize operator comfort and more. Simply choose options and accessories* that match your unique demands.

MODEL	CATEGORY	OPTION LIST
CT1021 Field Cab & Options	11010 000 0	Field Cab Sub-Compact Kit (Not compatible with backhoe assembly)
		Noise Reduction Kit
		Working Light Kit for Field Cab
	Uptions	CD Player for Field Cab
	Rear Wiper Kit	
		Beacon Light Wire Kit
	Options & Accessories	Hydraulic Filter Guard Kit
		Front Hydraulic Valve Kit
		Rear Remote Hydraulic Valve Kit
		Front Towing Hook Kit
		Cruise Control Kit
		Working Light (Rear) Kit
		Canopy

^{*} Options and accessories are subject to change.

SPECIFICATIONS





odel	CT1021	CT1025
ngine	Diesel	Diesel
iel Tank Capacity	6.7 gal. (25.5 L)	6.7 gal. (25.5 L)
ross Horsepower	21.1 hp (15.7 kW)	24.5 hp (18.3 kW)
o. of Cylinders	3	3
otal Displacement	61.4 in.3 (1007 L)	61.4 in.3 (1007 L)
-Point, PTO & Hydraulics		(2 2)
Point Hitch	Category 1 Limited	Category 1 Limited
Point Lift Capacity	700 lb. (318 kg)	700 lb. (318 kg)
Point Link Stabilizers	Turnbuckle	Turnbuckle
ft Control Type	Hydraulic Position Control System	Hydraulic Position Control Syste
fting Rod	Turnbuckle	Turnbuckle
ower Links	Rigid	Rigid
id-PTO	Standard: 2200 rpm	Standard: 2200 rpm
	·	•
TO Horsepower	16.3 hp (12.1 kW)	18.8 hp (14.0 kW)
ear Hydraulics (optional)	1 Pair	1 Pair
ear PTO System	540 rpm	540 rpm
ear PTO System	Independent	Independent
otal Hydraulic Pump Capacity	7.2 gpm (27.4 L/min.)	7.2 gpm (27.4 L/min.)
rive System		
rakes	Wet Multi-disc	Wet Multi-disc
our-Wheel Drive	Std	Std
ear Differential Lock	Std	Std
ansmission	2-Range HST	2-Range HST
ravel Speeds (w/ Ind. Tires)		
orward	0-11.1 mph (0-17.8 km/hr.)	0-11.1 mph (0-17.8 km/hr.)
everse	0-7.6 mph (0-12.2 km/hr.)	0-7.6 mph (0-12.2 km/hr.)
imensions		
round Clearance	6.3 in. (160 mm)	6.3 in. (160 mm)
verall Height	87.6 in. (2225 mm)	87.6 in. (2225 mm)
verall Length (w/ 3 pt.)	99.3 in. (2522 mm)	99.3 in. (2523 mm)
verall Width (w/ industrial tires)	46.0 in. (1161 mm)	46.0 in. (1161 mm)
'eight	1521 lb. (690 kg)	1521 lb. (690 kg)
'heelbase	55.1 in. (1400 mm)	55.1 in. (1400 mm)
teering	Hydrostatic Power Steering	Hydrostatic Power Steering
side Turning Radius	8.3 ft. (2.5 m)	8.3 ft. (2.5 m)
It Steering Wheel	_	_
afety Equipment		
old Down ROPS (roll-over protective structure)	Std	Std
ılly Retractable Seat Belt	Std	Std
afety Interlock System (neutral start-operating)	Std	Std
eatures		
djustable Seat	Std	Std
ruise Control	Opt	Opt
up Holder	Std	Std
low Plug Engine Pre-heat	Std	Std
ead Lights/Tail Lights	Std	Std
		Std
orn/Hazard Flasher/Turn Signals	Std	
orn/Hazard Flasher/Turn Signals ear Working Light	Std Ont	
orn/Hazard Flasher/Turn Signals ear Working Light oark Arrestor Muffler	Std Opt Opt	Opt Opt















Compact Excavators



Mini Track Loaders







Years

First Utility Vehicle with RapidLink

























M2-Series Loaders

Loaders

R2-Series Excavators

Small Articulated Loaders



Everything we put into Bobcat equipment is designed to make more of whatever you bring to the job. Whether it's strength, versatility, speed or agility, it's built around you.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.



Bobcat is a Doosan company. Doosan is a global leader in construction equipment, power and water solutions, engines, and engineering, proudly serving customers and communities for more than a century.

Bobcat[®] and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries @2021 Bobcat Company. All rights reserved.



